


heterocyclyl-C₁₋₂-alkyl, optionally substituted phenyl, and optionally substituted 5-6-membered heterocyclyl; or wherein two R^c substituents, together form an optionally substituted fused phenyl ring; or wherein two R^c substituents bound to the same atom may combine to form an optionally substituted 3-6 membered spiro ring; and pharmaceutically acceptable salts thereof.



35. Compound of Claim 21 wherein R^d is R^b; wherein R^b is selected from H, optionally substituted phenyl-C₁₋₃ alkyl, optionally substituted 5-6-membered heterocyclyl-C₁₋₃ alkyl, optionally substituted C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl, and optionally substituted C₆₋₁₀ aryl;

wherein R^c is one or more substituents selected from H, halo, hydroxyl, R^{5a}R^aN-, R^{5a}R^aN-C₁₋₃ alkyl, C₁₋₃ alkoxy-C₁₋₃ alkyl, C₁₋₃ alkylthio-C₁₋₃ alkyl, optionally substituted phenyl-C₁₋₃ alkyl, optionally substituted 5-6-membered heterocyclyl-C₁₋₃ alkyl, optionally substituted C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl, and optionally substituted C₆₋₁₀ aryl; wherein two R^c groups bound to the same atom may combine to form a C₃₋₆ spiro ring;


wherein R^a is selected from H, C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted phenyl, optionally substituted phenyl-C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl-C₁₋₆-alkyl, C₃₋₆-cycloalkyl, C₃₋₆-cycloalkyl-C₁₋₆-alkyl, C₂₋₆-alkenyl and C₂₋₆-alkynyl; and


wherein R^{5a} is selected from H, C₁₋₆-alkyl, C₁₋₆-haloalkyl, phenyl-C₁₋₆-alkyl, 5-6 membered heterocyclyl-C₁₋₆-alkyl, C₃₋₆-cycloalkyl-C₁₋₆-alkyl, R^aC(=O)-, optionally substituted phenyl, optionally substituted 5-6-membered heterocyclyl, C₂₋₆-alkenyl, C₂₋₆-alkynyl and C₃₋₆-cycloalkyl;

or wherein two adjacent R^c substituents, two adjacent R^b substituents or R^c together with an adjacent R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents bound to the same atom may combine to form an optionally substituted C₃₋₆ spiro ring; and pharmaceutically acceptable salts thereof.

36. Compound of Claim 33 wherein R^b is selected from H, optionally substituted benzyl, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, hydroxymethyl, methoxymethyl,

methoxyethyl, 2-hydroxy-2-methylpropyl, methylaminomethyl, ethylaminomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, pyridyl, thienyl, optionally substituted phenyl, and 1-naphthyl; wherein R^c is one or more substituents selected from H, methyl, isopropyl, tert-butyl, bromo, fluoro, hydroxyl, R^{5a}R^aN-, R^{5a}R^aN-C₁₋₃ alkyl, methoxymethyl, methoxyethyl, methylthiomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, optionally substituted phenyl, optionally substituted pyridyl, optionally substituted thienyl, and optionally substituted benzyl; wherein R^a is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenyl, and phenylmethyl; and wherein R^{5a} is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenylmethyl, optionally substituted 5-6 membered heterocyclyl-C₁₋₂-alkyl, optionally substituted phenyl, and optionally substituted 5-6-membered heterocyclyl; or wherein two R^c substituents, two R^b substituents or R^c together with R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents, together form an optionally substituted 3-6 membered spiro ring; and pharmaceutically acceptable salts thereof.



37. Compound of Claim 21 wherein R^d is  R^c ;
wherein R^b is independently selected at each occurrence from H, optionally substituted phenyl-C₁₋₃ alkyl, optionally substituted 5-6-membered heterocyclyl-C₁₋₃ alkyl, optionally substituted C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted C₆₋₁₀ aryl, optionally substituted C₆₋₁₀ heteroaryl, optionally substituted C₃₋₆ cycloalkyl, and R^aR^{5a}N-C₁₋₃alkyl;
wherein R^c is one or more substituents selected from H, halo, hydroxyl, R^{5a}R^aN-, R^{5a}R^aN-C₁₋₃ alkyl, C₁₋₃ alkoxy-C₁₋₃ alkyl, C₁₋₃ alkylthio-C₁₋₃ alkyl, optionally substituted phenyl-C₁₋₃ alkyl, optionally substituted 5-6-membered heterocyclyl-C₁₋₃ alkyl, optionally substituted C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl, -C₁₋₃ alkyl-NR^a-C(=O)-OR⁵, optionally substituted C₆₋₁₀ aryl; and optionally substituted heteroraryl;
wherein R^a is selected from H, C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted phenyl, optionally substituted phenyl-C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl-C₁₋₆-alkyl, C₃₋₆-cycloalkyl, C₃₋₆-cycloalkyl-C₁₋₆-alkyl, C₂₋₆-alkenyl and C₂₋₆-alkynyl; and
wherein R^{5a} is selected from H, C₁₋₆-alkyl, C₁₋₆-haloalkyl, phenyl-C₁₋₆-alkyl, 5-6 membered heterocyclyl-C₁₋₆-alkyl, C₃₋₆-cycloalkyl-C₁₋₆-alkyl, R^aC(=O)-, optionally substituted


phenyl, optionally substituted 5-6-membered heterocyclyl, C₂₋₆-alkenyl, C₂₋₆-alkynyl and C₃₋₆-cycloalkyl;


or wherein two adjacent R^c substituents, two adjacent R^b substituents or R^c together with an adjacent R^b together form an optionally substituted fused phenyl ring; or wherein two R^c

substituents, together form an optionally substituted spiro ring;

and pharmaceutically acceptable salts thereof.

38. Compound of Claim 35 wherein R^b is selected from H, optionally substituted benzyl, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, 3-hydroxypropyl, methoxymethyl, methoxyethyl, 2-hydroxy-2-methylpropyl, 2-oxopropyl, 2-azidopropyl, 2-fluoropropyl, 2-hydroxypropyl, 2-hydroxy-3-aminopropyl, 2-methoxypropyl, 2-aminopropyl, 1(1-hydroxycyclopropyl)methyl, ethylaminomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, pyridyl, thienyl, optionally substituted phenyl, and 1-naphthyl; wherein R^c is one or more substituents selected from H, methyl, isopropyl, tert-butyl, bromo, fluoro, hydroxyl, R^{5a}R^aN-, R^{5a}R^aN-C₁₋₃ alkyl, methoxymethyl, methoxyethyl, methylthiomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, optionally substituted phenyl, optionally substituted heteroaryl, and optionally substituted benzyl; wherein R^a is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenyl, and phenylmethyl; and wherein R^{5a} is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenylmethyl, optionally substituted 5-6 membered heterocyclyl-C₁₋₂-alkyl, optionally substituted phenyl, and optionally substituted 5-6-membered heterocyclyl; or wherein two R^c substituents, two R^b substituents or R^c together with R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents, together form an optionally substituted 3-6 membered spiro ring; and pharmaceutically acceptable salts thereof.



39. Compound of Claim 21 wherein R^d is ; wherein R^b is selected from H, optionally substituted phenyl-C₁₋₃ alkyl, optionally substituted 5-6-membered heterocyclyl-C₁₋₃ alkyl, optionally substituted C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl, and optionally substituted C₆₋₁₀ aryl;

wherein R^c is one or more substituents selected from H, halo, hydroxyl, R^{5a}R^aN-, R^{5a}R^aN-C₁₋₃ alkyl, C₁₋₃ alkoxy-C₁₋₃ alkyl, C₁₋₃ alkylthio-C₁₋₃ alkyl, optionally substituted phenyl-C₁₋₃ alkyl, optionally substituted 5-6-membered heterocyclyl-C₁₋₃ alkyl, optionally substituted


C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl, and optionally substituted C₆₋₁₀ aryl;

wherein R^a is selected from H, C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted phenyl, optionally substituted phenyl-C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl-C₁₋₆-alkyl, C₃₋₆-cycloalkyl, C₃₋₆-cycloalkyl-C₁₋₆-alkyl, C₂₋₆-alkenyl and C₂₋₆-alkynyl; and

wherein R^{5a} is selected from H, C₁₋₆-alkyl, C₁₋₆-haloalkyl, phenyl-C₁₋₆-alkyl, 5-6 membered heterocyclyl-C₁₋₆-alkyl, C₃₋₆-cycloalkyl-C₁₋₆-alkyl, R^aC(=O)-, optionally substituted phenyl, optionally substituted 5-6-membered heterocyclyl, C₂₋₆-alkenyl, C₂₋₆-alkynyl and C₃₋₆-cycloalkyl;

or wherein two adjacent R^c substituents, two adjacent R^b substituents or R^c together with an adjacent R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents, together form an optionally substituted spiro ring; and pharmaceutically acceptable salts thereof.

40. Compound of Claim 37 wherein R^b is selected from H, optionally substituted benzyl, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, hydroxymethyl, methoxymethyl, methoxyethyl, 2-hydroxy-2-methylpropyl, methylaminomethyl, ethylaminomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, pyridyl, thienyl, optionally substituted phenyl, and 1-naphthyl; wherein R^c is one or more substituents selected from H, methyl, isopropyl, tert-butyl, bromo, fluoro, hydroxyl, R^{5a}R^aN-, R^{5a}R^aN-C₁₋₃ alkyl, methoxymethyl, methoxyethyl, methylthiomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, optionally substituted phenyl, optionally substituted pyridyl, optionally substituted thienyl, and optionally substituted benzyl; wherein R^a is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenyl, and phenylmethyl; and wherein R^{5a} is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenylmethyl, optionally substituted 5-6 membered heterocyclyl-C₁₋₂-alkyl, optionally substituted phenyl, and optionally substituted 5-6-membered heterocyclyl; or wherein two R^c substituents, two R^b substituents or R^c together with R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents, together form an optionally substituted 3-6 membered spiro ring; and pharmaceutically acceptable salts thereof.



41. Compound of Claim 21 wherein R^d is

wherein R^b is independently selected at each occurrence from H, optionally substituted phenyl-C₁₋₃ alkyl, optionally substituted 5-6-membered heterocyclyl-C₁₋₃ alkyl, optionally substituted C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted C₆₋₁₀ ary, optionally substituted C₃₋₆ cycloalkyl, optionally substituted C₃₋₆cycloalkyl-C₁₋₃alkyl, and $R^aR^{5a}N$ -C₁₋₃alkyl;

wherein R^c is one or more substituents selected from H, halo, hydroxyl, $R^{5a}R^aN$ -, $R^{5a}R^aN$ -C₁₋₃ alkyl, C₁₋₃ alkoxy-C₁₋₃ alkyl, C₁₋₃ alkylthio-C₁₋₃ alkyl, optionally substituted phenyl-C₁₋₃ alkyl, optionally substituted 5-6-membered heterocyclyl-C₁₋₃ alkyl, optionally substituted C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl, -C₁₋₃ alkyl-NR^a-C(=O)-OR⁵, optionally substituted C₆₋₁₀ aryl; and optionally substituted heteroraryl, nitrile, C(=O)OR⁵, C(=O)NR^{5a}R^a, C(=O)R⁵;


wherein R^a is selected from H, C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted phenyl, optionally substituted phenyl-C₁₋₆-alkyl, optionally substituted 5-6 membered heterocyclyl-C₁₋₆-alkyl, C₃₋₆-cycloalkyl, C₃₋₆-cycloalkyl-C₁₋₆-alkyl, C₂₋₆-alkenyl and C₂₋₆-alkynyl; and

wherein R^{5a} is selected from H, C₁₋₆-alkyl, C₁₋₆-haloalkyl, phenyl-C₁₋₆-alkyl, 5-6 membered heterocyclyl-C₁₋₆-alkyl, C₃₋₆-cycloalkyl-C₁₋₆-alkyl, $R^aC(=O)$ -, optionally substituted phenyl, optionally substituted 5-6-membered heterocyclyl, C₂₋₆-alkenyl, C₂₋₆-alkynyl and C₃₋₆-cycloalkyl;

or wherein two adjacent R^c substituents, two adjacent R^b substituents or R^c together with an adjacent R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents, together form an optionally substituted spiro ring; and pharmaceutically acceptable salts thereof.

42. Compound of Claim 39 wherein R^b is selected from H, optionally substituted benzyl, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, hydroxymethyl, methoxymethyl, methoxyethyl, 2-hydroxy-2-methylpropyl, methylaminomethyl, ethylaminomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, pyridyl, thienyl, optionally substituted phenyl, and 1-naphthyl; wherein R^c is one or more substituents selected from H, methyl, isopropyl, tert-butyl, bromo, fluoro, hydroxyl, $R^{5a}R^aN$ -, $R^{5a}R^aN$ -C₁₋₃ alkyl, methoxymethyl, methoxyethyl,

methylthiomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, optionally substituted phenyl, optionally substituted pyridyl, optionally substituted thienyl, and optionally substituted benzyl; wherein R^a is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenyl, and phenylmethyl; and wherein R^{5a} is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenylmethyl, optionally substituted 5-6 membered heterocyclyl- C_{1-2} -alkyl, optionally substituted phenyl, and optionally substituted 5-6-membered heterocyclyl; or wherein two R^c substituents, two R^b substituents or R^c together with R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents, together form an optionally substituted 3-6 membered spiro ring; and pharmaceutically acceptable salts thereof.



43. Compound of Claim 15 wherein R^d is

wherein R^b is independently selected at each occurrence from H, optionally substituted phenyl- C_{1-3} alkyl, optionally substituted 5-6-membered heterocyclyl- C_{1-3} alkyl, optionally substituted C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted C_{6-10} ary, and $R^a R^{5a} N-C_{1-3}$ alkyl;

wherein R^c is one or more substituents selected from H, halo, hydroxyl, $R^{5a} R^a N-$, $R^{5a} R^a N-C_{1-3}$ alkyl, C_{1-3} alkoxy- C_{1-3} alkyl, C_{1-3} alkylthio- C_{1-3} alkyl, optionally substituted phenyl- C_{1-3} alkyl, optionally substituted 5-6-membered heterocyclyl- C_{1-3} alkyl, optionally substituted C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, $-C_{1-3}$ alkyl- $NR^a-C(=O)-OR^5$, optionally substituted C_{6-10} aryl; and optionally substituted heteroraryl;

wherein R^a is selected from H, C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl, optionally substituted phenyl, optionally substituted phenyl- C_{1-6} -alkyl, optionally substituted 5-6 membered heterocyclyl- C_{1-6} -alkyl, C_{3-6} -cycloalkyl, C_{3-6} -cycloalkyl- C_{1-6} -alkyl, C_{2-6} -alkenyl and C_{2-6} -alkynyl; and

wherein R^{5a} is selected from H, C_{1-6} -alkyl, C_{1-6} -haloalkyl, phenyl- C_{1-6} -alkyl, 5-6 membered heterocyclyl- C_{1-6} -alkyl, C_{3-6} -cycloalkyl- C_{1-6} -alkyl, $R^a C(=O)-$, optionally substituted phenyl, optionally substituted 5-6-membered heterocyclyl, C_{2-6} -alkenyl, C_{2-6} -alkynyl and C_{3-6} -cycloalkyl;

or wherein two adjacent R^c substituents, two adjacent R^b substituents or R^c together with an adjacent R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents, together form an optionally substituted spiro ring;

and pharmaceutically acceptable salts thereof.


44. Compound of Claim 41 wherein R^b is selected from H, optionally substituted benzyl, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, hydroxymethyl, methoxymethyl, methoxyethyl, 2-hydroxy-2-methylpropyl, ethylaminomethyl, optionally substituted heterorayrl, optionally substituted phenyl, and 1-naphthyl; wherein R^c is one or more substituents selected from H, methyl, isopropyl, tert-butyl, bromo, fluoro, hydroxyl, $R^{5a}R^aN-$, $R^{5a}R^aN-C_{1-3}$ alkyl, methoxymethyl, methoxyethyl, methylthiomethyl, piperidin-1-ylmethyl, pyrrolidin-1-ylmethyl, optionally substituted phenyl, optionally substituted heteroaryl, and optionally substituted benzyl; wherein R^a is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenyl, and phenylmethyl; and wherein R^{5a} is selected from H, methyl, ethyl, isopropyl, butyl, sec-butyl, isobutyl, phenylmethyl, optionally substituted 5-6 membered heterocyclyl- C_{1-2} -alkyl, optionally substituted phenyl, and optionally substituted 5-6-membered heterocyclyl; or wherein two R^c substituents, two R^b substituents or R^c together with R^b together form an optionally substituted fused phenyl ring; or wherein two R^c substituents, together form an optionally substituted 3-6 membered spiro ring; and pharmaceutically acceptable salts thereof.

45. Compound of Claim 21 wherein T is O; and pharmaceutically acceptable salts thereof

46. Compound of Claim 21 wherein n is 0 or 1; and pharmaceutically acceptable salts thereof



47. Compound of Claim 21 wherein R^3 and R^4 are both H; and pharmaceutically acceptable salts thereof


48. Compound of Claim 1 wherein R is



wherein R^{8a} is C_{1-3} alkyl or H ; and pharmaceutically acceptable salts thereof.

5

49. Compound of Claim 1 wherein R is  or  ; wherein R^{8a} is C_{1-3} alkyl or H ; and pharmaceutically acceptable salts thereof.

50. Compound of Claim 1 wherein R is  ; and pharmaceutically acceptable salts thereof.

10

51. Compound of Claim 1 and pharmaceutically acceptable salts and solvates thereof selected from

N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1-methyl-3-oxo-2-phenyl-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;

15 N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-5-(pyrrolidin-1-ylmethyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-5-((ethyl(methyl)amino)methyl)-1-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;;

N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-5-((dimethylamino)methyl)-1-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

20

5-(aminomethyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

- tert-butyl (4-((3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)carbamoyl)-1-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazol-5-yl)methylcarbamate;
- N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-5-(pyrrolidin-1-ylmethyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-2-phenyl-5-(pyrrolidin-1-ylmethyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-1-((tetrahydrofuran-2-yl)methyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5-((ethyl(methyl)amino)methyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 10 2-benzyl-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 2-benzyl-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 15 (S)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-(1-phenylethyl)-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- (S)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-2-(1-phenylethyl)-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 20 N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-2-phenyl-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-5-(pyridin-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 25 N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-2-phenyl-5-(pyridin-2-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-5-(pyridin-2-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-methyl-3-oxo-2-phenyl-5-(tetrahydro-2H-pyran-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 30 N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-5-(tetrahydro-2H-pyran-4-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 1-Methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-5-(2-methyl-1,3-thiazol-4-yl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

- N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-1-methyl-5-(5-methyl-3-isoxazolyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 1-methyl-5-(5-methyl-3-isoxazolyl)-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-1-methyl-5-(5-methyl-3-isoxazolyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 1-methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-3-oxo-2-phenyl-5-(2-pyrazinyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 10 N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-1-methyl-3-oxo-2-phenyl-5-(2-pyrazinyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-1-methyl-3-oxo-2-phenyl-5-(2-pyrazinyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-1-methyl-5-(2-methyl-1,3-thiazol-4-yl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 15 N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-1-methyl-5-(2-methyl-1,3-thiazol-4-yl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-N,1,5-trimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 2-(3-chlorophenyl)-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 20 2-(3-chlorophenyl)-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1,5-dimethyl-3-oxo-2-p-tolyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 25 N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-2-(4-fluorophenyl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridine-2-yl)-1,5-dimethyl-3-oxo-2-p-tolyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 30 N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-(4-fluorophenyl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 2-(3-chlorophenyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1,5-dimethyl-3-oxo-2-p-tolyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

2-(2-chlorophenyl)-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;

5 2-(2-chlorophenyl)-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;

2-(2-chlorophenyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;

10 N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-2-(4-fluorophenyl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;

2-(3-chlorophenyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(6-(6,7-dimethoxyquinolin-4-yloxy)pyridin-3-yl)-1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

15 N-(2-chloro-4-(6,7-dimethoxyquinolin-4-yloxy)phenyl)-1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

2-benzyl-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;

20 2-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-1,5-dimethyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

25 N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-3-oxo-1-(2-oxobutyl)-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-1-(3-methyl-2-oxobutyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

30 (R)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxybutyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-((2R,3R)-3-hydroxybutan-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

- 1-((2R,3R)-3-hydroxybutan-2-yl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- (S)-1-(2-hydroxy-3-methylbutyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 (R)-1-(2-hydroxy-3-methylbutyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- (S)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-3-methylbutyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- (R)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-3-methylbutyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 10 N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-1-((3-methyl-2-oxooxazolidin-5-yl)methyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-3-(methylamino)propyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 15 1-(3-chloro-2-hydroxypropyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-2-methylbutyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 1-(2-hydroxy-3-methylbutyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 20 N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-3-methylbutyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-3-morpholinopropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 25 N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-1-(oxazolidin-5-ylmethyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- (S)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxybutyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 1-(3-amino-2-hydroxypropyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 30 1-(2-hydroxy-2-methylpropyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

- (R)-1-(2-hydroxypropyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 1-(3-(dimethylamino)-2-hydroxypropyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 (R)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- (R)-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1-(2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 10 1-(2-hydroxypropyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- (R)-2-(3-chlorophenyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxypropyl)-5-methyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 15 (R)-2-(3-chlorophenyl)-1-(2-hydroxypropyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide;
- (R)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-2-(4-fluorophenyl)-1-(2-hydroxypropyl)-5-methyl-3-oxo-2,3-dihydro-1H-pyrazole-4-carboxamide
- 20 1-(2-hydroxy-2-methylpropyl)-N-(5-(1-oxo-7-methoxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-Fluoro-4-(7-hydroxyquinolin-4-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 1-(2-hydroxy-2-methylpropyl)-N-(5-(7-hydroxyquinolin-4-yloxy)pyridin-2-yl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 25 N-(4-(6-Ethyl-7-methoxyquinolin-4-yloxy)-3-fluorophenyl)-1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-Fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-(7-Methoxyquinolin-4-yloxy)phenyl)-1,2-dimethyl-3-oxo-5-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 30 N-(5-(7-Methoxyquinolin-4-yloxy)pyridin-2-yl)-1,2-dimethyl-3-oxo-5-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(4-(6,7-Dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-1,2-dimethyl-3-oxo-5-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(5-(7-Methoxyquinolin-4-yloxy)pyridin-2-yl)-1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

(R)-1-(2-Hydroxypropyl)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-2-methyl-3-oxo-5-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

5 (R)-N-(3-Fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxypropyl)-2-methyl-3-oxo-5-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide

(S)-N-(3-fluoro-4-(6-methoxyquinolin-4-yloxy)phenyl)-1-(2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

10 1-(2-aminoethyl)-N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide

1-(2-(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)ethyl)-N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

15 1-(2-aminoethyl)-N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

5-methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-3-oxo-2-phenyl-1-(phenylmethyl)-2,3-dihydro-1H-pyrazole-4-carboxamide

1-benzyl-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

20 5-methyl-1-(2-(methyloxy)ethyl)-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-1-(2-(methyloxy)ethyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

25 1-(2-hydroxyethyl)-5-methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

1-((2R)-2-fluoropropyl)-5-methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

(S)-1-(2-(dimethylamino)propyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

30 N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)oxy)phenyl)-5-methyl-3-oxo-2-phenyl-1-(2-(1-pyrrolidinyl)ethyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;

1-((2S)-2-fluoropropyl)-5-methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

- N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyloxy)phenyl)-1-((2S)-2-fluoropropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 1-((2S)-2-(acetilamino)propyl)-N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyloxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 1-((2S)-2-aminopropyl)-N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyloxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 1-((2S)-2-azidopropyl)-N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyloxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 10 N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyloxy)phenyl)-1-(2-hydroxyethyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyloxy)phenyl)-5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(4-((6,7-bis(methyloxy)-4-quinolinyloxy)-3-fluorophenyl)-1-((2R)-2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 15 N-(4-((6,7-bis(methyloxy)-4-quinolinyloxy)-3-fluorophenyl)-1-((2S)-2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5-methyl-N-(5-((7-(methyloxy)-4-quinolinyloxy)-2-pyridinyl)-1-(2-methylpropyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5-methyl-N-(5-((7-(methyloxy)-4-quinolinyloxy)-2-pyridinyl)-3-oxo-2-phenyl-1-propyl-2,3-
- 20 dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyloxy)phenyl)-5-methyl-3-oxo-1-(2-oxopropyl)-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 1-(2,3-dihydroxy-2-methylpropyl)-N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyloxy)phenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 25 N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyloxy)phenyl)-1-(2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(4-((6,7-bis(methyloxy)-4-quinazolinyl)oxy)-3-fluorophenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyloxy)phenyl)-5-methyl-1-(2-methyl-2-propen-1-
- 30 yl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(4-((6,7-bis(methyloxy)-4-quinolinyloxy)-3-fluorophenyl)-1-((2S)-2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(4-((6,7-bis(methyloxy)-4-quinolinyloxy)-3-fluorophenyl)-5-methyl-3-oxo-1-(2-oxopropyl)-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

- N-(4-((6,7-bis(methyloxy)-4-quinolinyloxy)-3-fluorophenyl)-1-(2,3-dihydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
N-(4-((6,7-bis(methyloxy)-4-quinolinyloxy)-3-fluorophenyl)-5-methyl-1-(2-methyl-2-propen-1-yl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
5 N-(5-((6,7-bis(methyloxy)-4-quinolinyloxy)-2-pyridinyloxy)-5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
N-(4-((6,7-bis(methyloxy)-4-quinolinyloxy)-3-fluorophenyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
N-(5-((6,7-bis(methyloxy)-4-quinolinyloxy)-2-pyridinyloxy)-5-methyl-3-oxo-2-phenyl-1-(2-propen-1-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
10 N-(4-((6,7-bis(methyloxy)-1-oxido-4-quinolinyloxy)-3-fluorophenyl)-5-methyl-3-oxo-2-phenyl-1-(2-propen-1-yl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
N-(4-((6,7-bis(methyloxy)-4-quinolinyloxy)-3-fluorophenyl)-5-methyl-3-oxo-2-phenyl-1-(phenylmethyl)-2,3-dihydro-1H-pyrazole-4-carboxamide;
15 4-(6,7-Dimethoxyquinolin-4-yloxy)-3-fluoro-N-(5-oxo-1-phenyl-2,5-dihydro-1H-pyrazol-3-yl)benzamide;
4-(6,7-Dimethoxyquinolin-4-yloxy)-N-((1,2-dimethyl-5-oxo-3-phenyl-2,5-dihydro-1H-pyrazol-4-yl)methyl)-3-fluorobenzamide;
4-(6,7-Dimethoxyquinolin-4-yloxy)-N-(2,3-dimethyl-5-oxo-1-phenyl-2,5-dihydro-1H-pyrazol-4-yl)-3-fluorobenzamide
20 4-(6,7-Dimethoxyquinolin-4-yloxy)-N-((2,3-dimethyl-5-oxo-1-phenyl-2,5-dihydro-1H-pyrazol-4-yl)methyl)-3-fluorobenzamide;
1-Benzyl-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1,2-dihydropyrazolo[1,5-a]pyridine-3-carboxamide;
25 4-((5-(6,7-Dimethoxyquinolin-4-yloxy)pyridin-2-ylamino)methyl)-1,5-dimethyl-2-phenyl-1,2-dihydropyrazol-3-one;
N-(3-fluoro-4-(2-(3-methyl-1,2,4-oxadiazol-5-yl)thieno[3,2-b]pyridin-7-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
30 N-(3-fluoro-4-((2-(1-methyl-1H-imidazol-5-yl)thieno[3,2-b]pyridin-7-yl)oxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
N-(3-fluoro-4-((2-(1-methyl-1H-imidazol-5-yl)thieno[3,2-b]pyridin-7-yl)oxy)phenyl)-1-((2R)-2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(3-fluoro-4-(7H-pyrrolo[2,3-d]pyrimidin-4-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-(3-fluoro-4-(1H-pyrrolo[2,3-b]pyridin-4-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

5 Methyl(6-(((4-(((1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazol-4-yl)carbonyl)amino)phenyl)oxy)-1H-benzimidazol-2-yl)carbamate;

N-(4-(2-(azetidine-1-carbonyl)thieno[3,2-b]pyridin-7-yloxy)-3-fluorophenyl)-5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

10 7-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)-N-methylthieno[3,2-b]pyridine-2-carboxamide;

N-(3-fluoro-4-(2-(1-methylpiperazine-4-carbonyl)thieno[3,2-b]pyridin-7-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

15 N-(2-(dimethylamino)ethyl)-7-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)thieno[3,2-b]pyridine-2-carboxamide;

N-(4-(2-(3-(dimethylamino)pyrrolidine-1-carbonyl)thieno[3,2-b]pyridin-7-yloxy)-3-fluorophenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

20 7-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)-N,N-dimethylthieno[3,2-b]pyridine-2-carboxamide;

7-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)thieno[3,2-b]pyridine-2-carboxamide;

25 N-(2-(dimethylamino)ethyl)-7-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)-N-methylthieno[3,2-b]pyridine-2-carboxamide;

7-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)-N-(2-methoxyethyl)thieno[3,2-b]pyridine-2-carboxamide;

30 N-(4-(2-(azetidine-1-carbonyl)thieno[3,2-b]pyridin-7-yloxy)-3-fluorophenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

N-cyclopropyl-7-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)thieno[3,2-b]pyridine-2-carboxamide

- 7-(2-fluoro-4-(5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)thieno[3,2-b]pyridine-2-carboxamide;
N-(3-fluoro-4-(6-(pyrrolidine-1-carboxamido)pyrimidin-4-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
5 N-(3-fluoro-4-(6-(pyrrolidine-1-carboxamido)pyrimidin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
N-(6-(4-(1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)-2-fluorophenoxy)pyrimidin-4-yl)morpholine-4-carboxamide;
N-(6-(2-fluoro-4-(5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)pyrimidin-4-yl)morpholine-4-carboxamide;
10 N-(6-(2-fluoro-4-(5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)pyrimidin-4-yl)piperidine-1-carboxamide;
N-(6-(2-fluoro-4-(5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)pyrimidin-4-yl)-4-methylpiperazine-1-carboxamide;
15 (R)-N-(4-(6-(3-(dimethylamino)pyrrolidine-1-carboxamido)pyrimidin-4-yloxy)-3-fluorophenyl)-5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
(R)-N-(4-(6-aminopyrimidin-4-yloxy)-3-fluorophenyl)-1-(2-hydroxypropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
20 N-(3-fluoro-4-(2-(pyrrolidine-1-carboxamido)pyridin-4-yloxy)phenyl)-1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
N-(4-(4-(1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)-2-fluorophenoxy)pyridin-2-yl)piperidine-1-carboxamide;
(R)-N-(4-(2-(3-(dimethylamino)pyrrolidine-1-carboxamido)pyridin-4-yloxy)-3-fluorophenyl)-
25 1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
N-(3-fluoro-4-(2-(pyrrolidine-1-carboxamido)pyridin-4-yloxy)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
N-(3-fluoro-4-(2-(pyrrolidine-1-carboxamido)pyridin-4-yloxy)phenyl)-5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
30 N-(4-(4-(1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)-2-fluorophenoxy)pyridin-2-yl)morpholine-4-carboxamide;
N-(4-(2-fluoro-4-(1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamido)phenoxy)pyridin-2-yl)piperidine-1-carboxamide;

- 5-methyl-N-(4-((7-(methyloxy)-4-quinolinyl)methyl)phenyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- N-(4-(hydroxy(7-methoxyquinolin-4-yl)methyl)phenyl)-5-methyl-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5 1,5-dimethyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyrimidinyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5-methyl-N-(4-((7-(methyloxy)-4-quinolinyl)sulfinyl)phenyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide
- 10 1-(2-hydroxy-2-methylpropyl)-5-methyl-N-(4-((7-(methyloxy)-4-quinolinyl)thio)phenyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide
- 5-methyl-N-(4-((7-(methyloxy)-4-quinolinyl)thio)phenyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide
- 5-methyl-N-(3-((7-(methyloxy)-4-quinolinyl)oxy)propyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 15 5-methyl-N-(trans-4-((7-(methyloxy)-4-quinolinyl)oxy)cyclohexyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5-methyl-N-(cis-4-((7-(methyloxy)-4-quinolinyl)oxy)cyclohexyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 1-(2-hydroxy-2-methylpropyl)-5-methyl-N-(trans-4-((7-(methyloxy)-4-quinolinyl)oxy)cyclohexyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide
- 20 5-methyl-N-(4-((7-(methyloxy)-4-quinolinyl)amino)phenyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 5-methyl-N-(5-((7-(methyloxy)-4-quinolinyl)oxy)-2-pyrimidinyl)-3-oxo-2-phenyl-1-propyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 25 N-(3-fluoro-4-((7-(methyloxy)-4-quinolinyl)amino)phenyl)-1-(2-hydroxy-2-methylpropyl)-5-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 1-(2-hydroxy-2-methylpropyl)-5-methyl-4-((7-((7-(methyloxy)-4-quinolinyl)oxy)-2,3-dihydro-4H-1,4-benzoxazin-4-yl)carbonyl)-2-phenyl-1,2-dihydro-3H-pyrazol-3-one;
- 1-(2-hydroxy-2-methylpropyl)-5-methyl-N-(4-((7-(methyloxy)-4-quinolinyl)amino)phenyl)-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;
- 30 N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-3-hydroxy-2-(1-oxoisindolin-2-yl)propanamide;
- N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-2-(1-oxoisindolin-2-yl)acetamide;

- N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-2-oxo-1,5-diphenyl-1,2-dihydropyridine-3-carboxamide;
- N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-6-oxo-1-(phenylmethyl)-1,1',2',3',6,6'-hexahydro-3,4'-bipyridine-5-carboxamide;
- 5 N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-6-oxo-1-(phenylmethyl)-1,6-dihydro-3,3'-bipyridine-5-carboxamide;
- N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-6'-oxo-1'-(phenylmethyl)-1',6'-dihydro-2,3'-bipyridine-5'-carboxamide
- N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-2-oxo-1-(phenylmethyl)-5-(2-thienyl)-1,2-dihydro-3-pyridinecarboxamide;
- 10 N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-2-oxo-1-(phenylmethyl)-5-(2-pyrazinyl)-1,2-dihydro-3-pyridinecarboxamide;
- N-(5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)-5-methyl-2-oxo-1-(phenylmethyl)-1,2-dihydro-3-pyridinecarboxamide;
- 15 N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-5-bromo-1-(3-methylphenyl)-2-oxo-1,2-dihydro-3-pyridinecarboxamide;
- N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-5-(1-methyl-1H-pyrazol-4-yl)-2-oxo-1-phenyl-1,2-dihydro-3-pyridinecarboxamide;
- N-(3-fluoro-4-((6-(methyloxy)-7-((3-(4-morpholinyl)propyl)oxy)-4-quinolinyl)oxy)phenyl)-2-oxo-5-phenyl-1-(phenylmethyl)-1,2-dihydro-3-pyridinecarboxamide;
- 20 1,1-dimethylethyl 5-(((5-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-2-pyridinyl)amino)carbonyl)-6-oxo-1-(phenylmethyl)-1,3',6,6'-tetrahydro-3,4'-bipyridine-1'(2'H)-carboxylate;
- N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-2-oxo-1-(phenylmethyl)-5-(2-pyrimidinyl)-1,2-dihydro-3-pyridinecarboxamide;
- 25 N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-2-oxo-1-phenyl-5-(1H-pyrazol-4-yl)-1,2-dihydro-3-pyridinecarboxamide;
- 1-benzyl-5-bromo-N-(2-chloro-4-(6,7-dimethoxyquinolin-4-yloxy)phenyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;
- N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-5-(pyridin-3-yl)-1,2-dihydropyridine-3-carboxamide;
- 30 N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-5-(pyrazin-2-yl)-1,2-dihydropyridine-3-carboxamide;
- N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-5-(pyridin-3-yl)-1,2-dihydropyridine-3-carboxamide;


- N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-5-(pyrazin-2-yl)-1,2-dihydropyridine-3-carboxamide;
- N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-5-(thiophen-2-yl)-1,2-dihydropyridine-3-carboxamide;
- 5 5-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide;
- tert-butyl 4-(5-((5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)carbamoyl)-6-oxo-1-phenyl-1,6-dihydropyridin-3-yl)-5,6-dihydropyridine-1(2H)-carboxylate;
- 5-bromo-N-(2-chloro-4-(6,7-dimethoxyquinolin-4-yloxy)phenyl)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide;
- 10 N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(2-methoxyethylamino)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide;
- N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-4-(tetrahydro-2H-pyran-4-ylamino)-1,2-dihydropyridine-3-carboxamide;
- 15 N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-4-(phenylamino)-1,2-dihydropyridine-3-carboxamide;
- N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(4-methylpiperazin-1-yl)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide;
- N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(methylamino)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide;
- 20 N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(dimethylamino)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide;
- 4-(2-methoxyethylamino)-N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide;
- 25 N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-4-(2-methoxyethylamino)-2-oxo-1-phenyl-1,2-dihydropyridine-3-carboxamide
- N-(4-((6,7-bis(methyloxy)-4-quinolinyl)oxy)-3-fluorophenyl)-1-cyclopentyl-6-oxo-5-(2-oxo-1-pyrrolidinyl)-1,6-dihydro-3-pyridinecarboxamide
- 1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(2-methoxyethylamino)-2-oxo-1,2-dihydropyridine-3-carboxamide;
- 30 1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(dimethylamino)-2-oxo-1,2-dihydropyridine-3-carboxamide;
- 1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(methylamino)-2-oxo-1,2-dihydropyridine-3-carboxamide;


- 1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-4-(phenylamino)-1,2-dihydropyridine-3-carboxamide;
- 1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-4-(pyridin-4-ylamino)-1,2-dihydropyridine-3-carboxamide;
- 5 1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-4-(4-methylpiperazin-1-yl)-2-oxo-1,2-dihydropyridine-3-carboxamide;
- 1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-4-(tetrahydro-2H-pyran-4-ylamino)-1,2-dihydropyridine-3-carboxamide;
- 1-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-2-oxo-4-(4-
- 10 (trifluoromethyl)phenylamino)-1,2-dihydropyridine-3-carboxamide;
- 1-cyclopentyl-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-6-oxo-5-(2-oxopyrrolidin-1-yl)-1,6-dihydropyridine-3-carboxamide;
- N-(3-fluoro-4-(2-(pyrrolidine-1-carboxamido)pyridin-4-yloxy)phenyl)-3-oxo-2-phenyl-2,3-dihydropyridazine-4-carboxamide;
- 15 6-((diethylamino)methyl)-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-3-oxo-2-phenyl-2,3-dihydropyridazine-4-carboxamide;
- 6-((dimethylamino)methyl)-N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-3-oxo-2-phenyl-2,3-dihydropyridazine-4-carboxamide;
- N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-6-methyl-3-oxo-2-phenyl-2,3-
- 20 dihydropyridazine-4-carboxamide;
- N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-6-methyl-3-oxo-2-phenyl-2,3-dihydropyridazine-4-carboxamide;
- 2-benzyl-N-(5-(6,7-dimethoxyquinolin-4-yloxy)pyridin-2-yl)-6-methyl-3-oxo-2,3-dihydropyridazine-4-carboxamide;
- 25 N-(3-fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-3-oxo-2-phenyl-2,3-dihydropyridazine-4-carboxamide;
- N-(2-chloro-4-(6,7-dimethoxyquinolin-4-yloxy)phenyl)-6-methyl-3-oxo-2-phenyl-2,3-dihydropyridazine-4-carboxamide;
- (R)-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-6-((3-(dimethylamino)pyrrolidin-
- 30 1-yl)methyl)-3-oxo-2-phenyl-2,3-dihydropyridazine-4-carboxamide;
- 3-benzyl-N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-2-oxoimidazolidine-1-carboxamide;
- N-(4-(6,7-dimethoxyquinolin-4-yloxy)-3-fluorophenyl)-5-((dimethylamino)methyl)-2-oxo-3-phenyl-tetrahydropyrimidine-1(2H)-carboxamide;


N-(3-Fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-3-oxo-4-phenylmorpholine-2-carboxamide;


N-(5-(7-methoxyquinolin-4-yloxy)pyridin-2-yl)-1-methyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazole-4-carboxamide;

5 N-(3-Fluoro-4-(7-methoxyquinolin-4-yloxy)phenyl)-3-oxo-4-phenylmorpholine-2-carboxamide;









5

52. A pharmaceutical composition comprising a pharmaceutically-acceptable carrier and a compound as in any of Claims 1-49.

53. A method of treating cancer in a subject, said method comprising administering an effective amount of a compound as in any of Claims 1-49.

10

54. The method of Claim 50 comprising a combination with a compound selected from antibiotic-type agents, alkylating agents, antimetabolite agents, hormonal agents, immunological agents, interferon-type agents and miscellaneous agents.

55. A method of reducing tumor size in a subject, said method comprising administering an effective amount of a compound as in any of Claims 1-49.

5 56. A method of treating HGF mediated disorders in a subject, said method comprising administering an effective amount of a compound as in any of Claims 1-49.

57. A method of reducing metastasis in a tumor in a subject, said method comprising administering an effective amount of a compound as in any of Claims 1-49.

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2006/016344

A. CLASSIFICATION OF SUBJECT MATTER

INV. C07D401/14 C07D401/12 C07D405/14 C07D417/14 C07D413/14
C07D495/04 C07D487/04 C07D403/12 C07D409/14 C07D413/12
A61K31/435 A61K31/495 A61P35/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

C07D A61K A61P

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 1 411 046 A (KIRIN BEER KABUSHIKI KAISHA) 21 April 2004 (2004-04-21) the whole document	1-57
A	WO 2005/005389 A (MERCK PATENT GMBH; BRUGE, DAVID; BUCHSTALLER, HANS-PETER; WIESNER, MAT) 20 January 2005 (2005-01-20) the whole document	1-57
A	EP 1 415 987 A (EISAI CO., LTD) 6 May 2004 (2004-05-06) the whole document	1-57
	----- -/--	

☒ Further documents are listed in the continuation of Box C.

☒ See patent family annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

10 July 2006

Date of mailing of the international search report

24/07/2006

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Fritz, M

INTERNATIONAL SEARCH REPORT

International application No

PCT/US2006/016344

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P, X	WO 2006/004636 A (BRISTOL-MYERS SQUIBB COMPANY; BORZILLERI, ROBERT M; CHEN, ZHONG; HUYNH) 12 January 2006 (2006-01-12) Examples 242, 245-250, 253, 258, 267, 272-275, 277, 283, 284, 289, 290, 292, 294-298, 309, 313, 314, 319, 322-330, 335 -----	1-57
P, X	WO 2005/117867 A (BRISTOL-MYERS SQUIBB COMPANY; BORZILLERI, ROBERT M; CORNELIUS, LYNDON) 15 December 2005 (2005-12-15) Examples 50-57, 62, 66-71, 101, 111, 114, 115, 119-125, 129, 130, 132, 134, 137, 140, 146, 147 -----	1-57

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US2006/016344

Box II Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
Although claims 53-57 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box III Observations where unity of invention is lacking (Continuation of item 3 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/US2006/016344

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 1411046	A	21-04-2004	CA 2454538 A1	03-01-2003
			CN 1553899 A	08-12-2004
			WO 03000660 A1	03-01-2003
			US 2004242603 A1	02-12-2004
WO 2005005389	A	20-01-2005	AU 2004255566 A1	20-01-2005
			CA 2531485 A1	20-01-2005
EP 1415987	A	06-05-2004	AU 9598601 A	29-04-2002
			CA 2426461 A1	25-04-2002
			CN 1478078 A	25-02-2004
			HU 0302603 A2	28-11-2003
			WO 0232872 A1	25-04-2002
			JP 3712393 B2	02-11-2005
			MX PA03003362 A	01-08-2003
			NO 20031731 A	19-06-2003
			NZ 525324 A	24-03-2005
			US 2004053908 A1	18-03-2004
WO 2006004636	A	12-01-2006	US 2005288290 A1	29-12-2005
			WO 2006004833 A2	12-01-2006
			WO 2006004884 A2	12-01-2006
WO 2005117867	A	15-12-2005	US 2005245530 A1	03-11-2005